

DESCRIPTION

POWDER OF UNHULLED CEREAL GRAINS AND  
METHOD OF MANUFACTURING THE SAME

5

TECHNICAL FIELD

The present invention relates to a powder of unhulled cereal grains useful as foodstuff, beverage, livestock feed and so forth, and to a method of manufacturing the same.

10

BACKGROUND ART

15

Various treatments are applied to rice, which is a typical cereal, before rice is cooked. Specifically, the hull is removed from the threshed rice to obtain unpolished rice, which is further subjected to rice cleaning to obtain polished rice. In general, the unpolished rice or polished rice is used for cooking. Since the unpolished rice, if powdered, is converted into beta form and turned into paste, which is unsuitable to storage, it was considered impossible for a long time to powder the unpolished rice.

20

As a result of an extensive research on the powdering of the unpolished rice, the present inventor has succeeded in powdering of the unpolished rice by roasting the unpolished rice in advance and has obtained a patent right on the roasting apparatus (Japanese Patent Examined (KOKOKU) Publication No. Hei 3 (1991)-56726).

25

30

The powder prepared by powdering the unpolished rice after roasting is very rich in nutrient because the nutrients of the unpolished rice remain as they are in the powder. Also, the digestive and absorptive properties are markedly improved by the powdering, though the unpolished rice is said to be defective in these properties. Such being the situation, the powdered unpolished rice has been widely popularized.

During the research on manufacture of various powders of

unpolished rice under various roasting conditions of the unpolished rice, the present inventor has found that the unpolished rice powdered after roasted black has a higher nutrient value per unit weight and exhibits improved digestive  
5 and absorptive properties than those of the powder with shorter roasting time. Through being roasted black before powdering, the powdered unpolished rice has a high carbon content. The present inventor tried to roast the unhulled rice grain on the assumption that the carbon content would have some relationship with the  
10 nutrient value and with the digestive and absorptive properties of rice.

As widely known to the art, it is difficult to dispose of the agricultural waste material of the rice hull. For disposing of the rice hull by means of burning, it is necessary to burn the  
15 rice hull at a considerably high temperature. Also, even if buried in the ground, the rice hull is not reduced to the soil. These problems are derived from the composition of the rice hull. Specifically, the rice hull contains about 71 to 87% of organic components including mainly  $\alpha$ -cellulose and lignin, and about 13  
20 to 29% of the ash components. Further, silicon contained in the form of amorphous silica in the ash component amounts to 95%.

It is quite inconceivable in view of the common sense to use the rice hull of the particular composition as foodstuff. As a matter of fact, the idea of using the rice hull as foodstuff  
25 has not yet been proposed at all.

#### DISCLOSURE OF INVENTION

An object of the present invention is to provide a powder of unhulled cereal having a high nutrient value, excellent in digestive and absorptive properties, and useful as foodstuff,  
30 beverage, livestock feed and so forth, which is beyond the conventional common sense, and a method of manufacturing the same.

According to one aspect of the present invention, there is

provided a powder of unhulled cereal grains prepared by the following steps of impregnating unhulled cereal grains with water, roasting the impregnated grains, and powdering the roasted grains.

5 The cereal grains comprise at least one cereal selected from the group of rice, barley, wheat, rye and oats.

According to another aspect of the present invention, there is provided a method of manufacturing a powder of unhulled cereal grains, comprising the steps of impregnating unhulled cereal grains with water for a predetermined time, roasting the  
10 impregnated grains for a predetermined time, and pulverizing the roasted grains into fine powder.

It is desirable to roast the unhulled cereal grains until the grains are roasted brown or black.

#### BEST MODE FOR CARRYING OUT THE INVENTION

15 In preparing the powder of, for example, unhulled rice grains, the unhulled rice grains after the threshing step are immersed in water for about 20 to 45 minutes. Then, the unhulled rice grains impregnated with water are put in a roasting pot constructed as disclosed in Japanese Patent Examined (KOKOKU)  
20 Publication No. Hei 3 (1991)-56726 and roasted until the grains are colored by roasting. This roasting should be performed while rotating the roasting pot so as to heat uniformly the unhulled rice grains put in the pot. The roasting time, which depends on the roasting temperature and the desired degree of roasting, is  
25 generally about 45 minutes to 3 hours. After completion of the roasting, the unhulled rice grains are taken out of the roasting pot, followed by pulverizing the roasted grains in a pulverizer to obtain a fine powder having a particle diameter not larger than 25  $\mu$ m, thereby obtaining a powder of the unhulled rice  
30 grains of the present invention.

Some Examples of the present invention will now be described.

<Example 1>

Used were 30 kg of unhulled rice grains produced in Tochigi-ken, Japan, in 1998. The unhulled rice grains were immersed in water for 30 minutes, followed by roasting the grains  
5 impregnated with water in steps 1 to 6 as given below. In each step, the temperature of the grains was measured:

	<u>Roasting time</u>	<u>Temperature</u>
Step 1	15 minutes	70° C
Step 2	15 minutes	135° C
10 Step 3	15 minutes	167° C
Step 4	15 minutes	200° C
Step 5	15 minutes	214° C
Step 6	5 minutes	235° C

The total roasting time was 1 hour and 20 minutes. The  
15 roasted grains were taken out of the roasting pot when the unhulled rice grains were roasted pale brown. The rice grains within the hulls were found to have been finished brown.

The grains after the roasting were weighed, and the weight was found to be 26.5 kg, the roasting yield being 88.3%. Finally,  
20 the roasted grains were pulverized into a fine powder having an average particle diameter of about 20  $\mu\text{m}$ , thereby obtaining the powder of the unhulled grains defined in the present invention.

The composition of the product powder was analyzed, with the results as shown in Tables 1 and 2:

Table 1: Analytical Result

Analyzed Items	Result	Note	Analytical Method
Water	1.8g/100g		Drying method by heating under normal pressure
Protein	8.4g/100g	1	Kjeldahl method
Lipid	3.9g/100g		Acid decomposition method
Ash	3.8g/100g	2	Direct ashing method
Glucide	67.7g/100g	3	
Energy	340kcal/100g	4	
Dietary Fiber	14.4g/100g		Oxygen-weight method
Sodium	4.0mg/100g		Atomic absorption Spectroscopy
Phosphorus	330mg/100g		Vanadomolybdic acid absorption spectroscopy
Iron	5.84mg/100g		O-Phenanthroline absorption Spectroscopy
Calcium	19.7mg/100g		Potassium permanganate volumetric analysis
Potassium	279mg/100g		Atomic absorption spectroscopy
Magnesium	132mg/100g		Atomic absorption spectroscopy

Notes:

1. Nitrogen/protein conversion coefficient: 5.95;
- 5 2. Calculation formula by nutrient indication standard  
(Notice No. 146, 1996, by the Ministry of Health and Welfare):  
100 - (water + protein + lipid + ash + dietary fiber);
3. Energy conversion coefficient by nutrient indication standard  
(Notice No. 146, 1996, by the Ministry of Health and Welfare):
- 10 protein 4; lipid 9; glucide 4;
4. By AOAC method.

Table 2: Analytical Result

Analyzed Items	Result	Note	Analytical Method
Riboflavin (Vitamin B <sub>2</sub> )	0.04mg/100g		High speed liquid chromatography
Vitamin B <sub>6</sub>	74μg/100g	1	Microorganism determination method
Total tocopherols (Vitamin E) α-tocopherol β-tocopherol γ-tocopherol	2.5mg/100g 2.1mg/100g 0.1mg/100g 0.3mg/100g		High speed liquid chromatography
Folic Acid	9μg/100g	2	Microorganism determination method
Biotin	6.6μg/100g	3	Microorganism determination method
Inositol	271mg/100g	1	Microorganism determination method
Niacin	7.08mg/100g	3	Microorganism determination method
Choline	0.09g/100g	4	
Linoleic Acid	1.08g/100g		Gas chromatography
Linolenic Acid	0.05g/100g		Gas chromatography
Pepsin Digestion Rate	64.8%	5	
Phytic Acid (as meso- inositohexalic Acid)	533mg/100g		Vanadomolybdic acid absorption spectroscopy
Zinc	2.62mg/100g		Atomic absorption spectroscopy
The Number of General Bacilli (the Number of Live Bacilli)	300 or less/g		Standard agar plain plate culturing method
Colon Bacilli	Negative/2.22g		BGLB method

Notes:

1. Strain used: *Saccharomyces cerevisiae* (S. uvarum) ATCC 9080;

2. Strain used: *Lactobacillus rhamosus* (L. casei) ATCC 7469;
3. Strain used: *Lactobacillus plantarum* ATCC 8014;
4. By Reinecke's salt precipitation method;
5. Test condition: pepsin concentration, 0.2%; shaking digestion,  
5 16 hours at 45°C.

<Comparative Example 1>

30 kg of unpolished rice grains prepared by removing the  
hulls from the threshed rice grains were immersed in water for 30  
10 minutes, then roasted for 45 minutes. The temperature of the  
unpolished rice grains was elevated to about 200°C. The roasted  
unpolished rice grains were pulverized into a fine powder having  
an average particle diameter of about 20µm.

The analytical results of the fine powder were as shown in  
15 Tables 3 and 4:

Table 3: Analytical Result of Unpolished Rice

Analyzed Items	Result	Note	Analyzed Items
Water	2.0g/100g		Drying method by heating under normal pressure
Protein	7.5g/100g	1	Kjeldahl method
Lipid	3.4g/100g		Acid decomposition method
Ash	1.4g/100g		Direct ashing method
Glucide	84.8g/100g	2	
Energy	408kcal/100g	3	
Dietary fiber	0.9g/100g		Henneberg Stemann improving method
Sodium	1.1mg/100g		Atomic absorption spectroscopy
Phosphorus	324mg/100g		Vanadomolybdic acid absorption spectroscopy
Iron	1.22mg/100g		O-phenanthroline absorption spectroscopy
Calcium	11.1mg/100g		Atomic absorption spectroscopy
Potassium	249mg/100g		Atomic absorption spectroscopy
Magnesium	119mg/100g		Atomic absorption spectroscopy
Phytic acid (as mesoinositolhexal ic acid)	635mg/100g		Vanadomolybdic acid absorption spectroscopy

Notes:

1. Nitrogen/protein conversion coefficient: 5.95;
- 5 2. Calculation formula by nutrient indication standard  
(Notice No. 146, 1996, by the Ministry of Health and Welfare):  
100 - (water + protein + lipid + ash + dietary fiber);
3. Energy conversion coefficient by nutrient indication standard  
(Notice No. 146, 1996, by the Ministry of Health and Welfare):
- 10 protein 3.47; lipid 8.37; carbohydrate (fiber + glucide) 4.12.



Table 4: Analytical Result of Unpolished Rice

Analyzed Items	Result	Note	Analytical method
Riboflavin (Vitamin B <sub>2</sub> )	0.04mg/100g		High speed liquid chromatography
Vitamin B <sub>6</sub>	0.32mg/100g	1	Microorganism determination method
Total tocopherols (Vitamin E) $\alpha$ -tocopherol $\gamma$ -tocopherol	1.7mg/100g 1.5mg/100g 0.2mg/100g		High speed liquid chromatography
Folic acid	24 $\mu$ g/100g	2	Microorganism determination method
Pantothenic acid	0.72mg/100g	3	Microorganism determination method
Biotin	5.7 $\mu$ g/100g	3	Microorganism determination method
Inositol	155mg/100g	1	Microorganism determination method
Niacin	6.77mg/100g	3	Microorganism determination method
Choline	0.10g/100g	4	
Linoleic acid	1.08g/100g		Gas chromatography
Linolenic acid	0.04g/100g		Gas chromatography
Zinc	2.09mg/100g		Atomic absorption spectroscopy

Notes:

1. Strain used: *Saccharomyces cerevisiae* (S. uvarum) ATCC 9080;
- 5 2. Strain used: *Lactobacillus rhamosus* (L. casei) ATCC 7469;
3. Strain used: *Lactobacillus plantarum* ATCC 8014;
4. By Reinecke's salt precipitation method.

As shown in Table 1, the powder of the unhulled rice  
 10 grains of the present invention (Example 1) was found to contain  
 67.7g of glucide and to have 340 kcal of energy per 100g of the  
 powder. On the other hand, as shown in Table 3, the powder of  
 the unpolished rice grains for Comparative Example 1 was found to  
 contain 84.8g of glucide and has 408 kcal of energy per 100g of

the powder. Clearly, the powder of the unhulled rice grains of the present invention provides a diet food having a very low energy, compared with the powder of the unpolished rice grains for Comparative Example 1. Also, the powder of the unhulled rice grains of the present invention was found to contain 14.4g of dietary fiber per 100g of the powder; whereas the powder of the unpolished rice grains for Comparative Example 1 was found to contain 0.9g of dietary fiber per 100g of the powder. In other words, the dietary fiber content of the powder of the present invention was 16 times as much as that for the powder of the unpolished rice grains for Comparative Example 1. Further, the powder of the present invention was found to contain 5.84 mg of iron and 19.7 mg of calcium per 100g of the powder, whereas the powder for Comparative Example 1 was found to contain 1.22 mg of iron and 11.1 mg of calcium per 100g of the powder. In other words, the iron content and the calcium content of the powder of the present invention were found to be about 4.8 times and 1.8 times as much, respectively, as the iron content and the calcium content for the powder of Comparative Example 1. Still further, the powder of the unhulled rice grains of the present invention was found to contain 2.5 mg of vitamin E per 100g of the powder; whereas, the powder of the unpolished rice grains for Comparative Example 1 was found to contain 1.7 mg of vitamin E per 100g of the powder. In other words, the vitamin E content of the powder of the present invention was about 1.5 times as much as that for the powder of Comparative Example 1. As pointed out above, the experimental data clearly support that the powder of the unhulled rice grains of the present invention, which provides a good diet food, also provides an attractive food containing large amounts of minerals, having a high nutrient value and being excellent in digestive and absorptive properties.

<Preferred embodiment 2>

Used were 30 kg of unhulled rice grains produced in

Tochigi-ken, Japan, in 1998. The unhulled rice grains were immersed in water for 30 minutes, then roasted according to steps 1 to 6 as given below:

		<u>Roasting time</u>	<u>Temperature</u>
5	Step 1	15 minutes	75° C
	Step 2	45 minutes	157° C
	Step 3	15 minutes	182° C
	Step 4	50 minutes	201° C
	Step 5	30 minutes	225° C
10	Step 6	15 minutes	238° C

The total roasting time was 2 hours and 50 minutes. The roasted grains were taken out of the roasting pot when the unhulled rice grains were roasted black. The rice grains within the hulls were found to have been roasted black.

The grains after the roasting were weighed, and the weight was found to be 23.4 kg, the roasting yield being 78%. Finally, the roasted grains were pulverized into a fine powder having an average particle diameter of about 15  $\mu$ m, thereby obtaining the powder of the unhulled grains defined in the present invention.

The composition of the product powder was analyzed, with the results as shown in Tables 5 and 6:

Table 5: Analytical Result

Analyzed Items	Result	Note	Analytical method
Water	1.0g/100g		Drying method by heating under normal pressure
Protein	7.9g/100g	1	Kjeldahl method
Lipid	3.2g/100g		Acid decomposition method
Ash	4.6g/100g		Direct ashing method
Glucide	51.9g/100g	2	
Energy	268 kcal/100g	3	
Dietary fiber	31.4g/100g	4	Oxygen-weight method
Sodium	2.6mg/100g		Atomic absorption spectroscopy
Phosphorus	331mg/100g		Vanadomolybdic acid absorption spectroscopy
Iron	40.0mg/100g		O-Phenanthroline absorption spectroscopy
Calcium	21.7mg/100g		Potassium permanganate volumetric analysis
Potassium	320mg/100g		Atomic absorption spectroscopy
Magnesium	122mg/100g		Atomic absorption spectroscopy

Notes:

1. Nitrogen/protein conversion coefficient: 6.25;
- 5 2. Calculation formula by nutrient indication standard  
(Notice No. 146, 1996, by the Ministry of Health and Welfare):  
100 - (water + protein + lipid + ash + dietary fiber);
3. Energy conversion coefficient by nutrient indication standard  
(Notice No. 146, 1996, by the Ministry of Health and Welfare):
- 10 protein 4; lipid 9; glucide 4;
4. By AOAC method.

Table 6: Analytical Result

Analyzed Items	Result	Note	Analytical method
Riboflavin (Vitamin B <sub>2</sub> )	0.03mg/100g		High speed liquid chromatography
Total tocopherols (Vitamin E)	2.4mg/100g		High speed liquid chromatography
$\alpha$ -tocopherol	2.1mg/100g		
$\gamma$ -tocopherol	0.3mg/100g		
Pantothenic acid	0.05mg/100g	2	Microorganism determination method
Biotin	3.8 $\mu$ g/100g	2	Microorganism determination method
Inositol	250mg/100g	1	Microorganism determination method
Niacin	5.31mg/100g	2	Microorganism determination method
Choline	0.07g/100g	3	
Linoleic acid	0.86g/100g		Gas chromatography
Linolenic acid	0.03g/100g		Gas chromatography
Pepsin digestion rate	31.5%	4	
Phospholipid (as stearo oleo lecithin)	23mg/100g	5	
Peroxide number of extracted oil	7.7 meq/kg		Acetic acid-chloroform method
Zinc	2.03mg/100g		Atomic absorption spectroscopy
Silicon	1.26%		ICP emission analytical method

Notes:

1. Strain used: *Saccharomyces cerevisiae* (S. uvarum) ATCC 9080;
- 5 2. Strain used: *Lactobacillus plantarum* ATCC 8014;
3. By Reinecke's salt precipitation method;
4. Test condition: pepsin concentration, 0.2%; shaking digestion, 16 hours at 45°C;
5. Tested in accordance with "Standard Methods for the Analysis

of Oils, Fats and Derivatives" (compiled by Japan Oil Chemists' Society).

<Comparative Example 2>

30 kg of unpolished rice grains prepared by removing the  
5 hulls from the threshed rice grains were immersed in water for 30  
minutes, then roasted for 3 hours and 10 minutes until the  
unpolished rice is roasted black. The temperature condition was  
substantially the same as that for Example 2. The roasted  
unpolished rice grains were pulverized into a fine powder having  
10 an average particle diameter of about 15  $\mu$ m.

The analytical results of unpolished rice were as shown in  
Table 7:

Table 7 Analytical Result of Unpolished Rice

Analyzed Items	Result	Note	Analytical Method
Water	3.2g/100g		Drying method by heating under normal pressure
Protein	8.9g/100g	1	Kjeldahl method
Lipid	2.8g/100g		Acid decomposition method
Ash	1.4g/100g		Direct ashing method
Glucide	80.8g/100g	2	
Energy	399 kcal/100g	3	
Dietary fiber	2.9g/100g		Henneberg Stomann improving method
Phosphorus	384mg/100g		Vanadomolybdic acid absorption spectroscopy
Iron	1.66mg/100g		O-phenanthroline absorption spectroscopy
Calcium	12.1mg/100g		Atomic absorption spectroscopy
Potassium	271mg/100g		Atomic absorption spectroscopy
Magnesium	133mg/100g		Atomic absorption spectroscopy
Total tocopherols (Vitamin E)	0.9mg/100g		High speed liquid chromatography
α-tocopherol	0.6mg/100g		
β-tocopherol	0.1mg/100g		
γ-tocopherol	0.2mg/100g		
Copper	427μg/100g		Atomic absorption spectroscopy
Zinc	2.75mg/100g		Atomic absorption spectroscopy
Manganese	3.73mg/100g		Atomic absorption spectroscopy
Silicon	63 ppm		Molybdic blue absorption spectroscopy
Sodium	1.4mg/100g		Atomic absorption spectroscopy

Notes:

1. Nitrogen/protein conversion coefficient: 5.95;
2. Calculation formula by nutrient indication standard  
(Notice No. 146, 1996, by the Ministry of Health and Welfare):  
100 - (water + protein + lipid + ash + dietary fiber);
3. Energy conversion coefficient by nutrient indication standard  
(Notice No. 146, 1996, by the Ministry of Health and Welfare):  
protein 3.47; lipid 8.37; carbohydrate (fiber + glucide) 4.12.

As shown in Tables 5, 6 and 7, the powder of the unhulled rice grains of the present invention (Example 2), which were roasted black, was found to contain 51.9g of glucide and to have 268 kcal of energy per 100g of the powder. On the other hand, the powder of the unpolished rice grains for Comparative Example 2, which were roasted black, was found to contain 80.8g of glucide and to have 399 kcal of energy per 100g of the powder. Clearly, the powder of the unhulled rice grains of the present invention provides a diet food having a very low energy, compared with the powder of the unpolished rice grains for Comparative Example 2. Still further, as compared with the powder of the present invention (Example 1), the powder in this Example 2 was found to provide a diet food having lower energy. Also, the powder of the unhulled rice grains of the present invention was found to contain 31.4g of dietary fiber per 100g of the powder; whereas, the powder of the unpolished rice grains for Comparative Example 2 was found to contain 2.9g of dietary fiber per 100g of the powder. In other words, the dietary fiber content of the powder of the present invention was 10.8 times as much as that for the powder of the unpolished rice grains for Comparative Example 2. Further, the powder of the present invention was found to contain 40.0 mg of iron and 21.7 mg of calcium per 100g of the powder; whereas, the powder for Comparative Example 2 was found to contain 1.66 mg of iron and 12.1 mg of calcium per 100g



of the powder. In other words, the iron content and the calcium content of the powder of the present invention were about 24 times and 1.8 times as much, respectively, as the iron content and the calcium content for the powder of Comparative Example 2.

5 Still further, the powder of the unhulled rice grains of the present invention was found to contain 2.4 mg of vitamin E per 100g of the powder; whereas, the powder for Comparative Example 2 was found to contain 0.9 mg of vitamin E per 100g of the powder. In other words, the vitamin E content of the powder of the  
10 present invention was about 2.7 times as much as that for the powder of Comparative Example 2.

As pointed out above, the experimental data clearly support that the powder of the unhulled rice grains of the present invention, which provides a good diet food, also provides  
15 an attractive food containing large amounts of minerals, having a high nutrient value and being excellent in digestive and absorptive properties.

The Examples described above are directed to powders of unhulled rice grains. However, similar effects can be expected  
20 in respect of powders of unhulled grains of barley, wheat, rye and oats.

As described above, unhulled rice grains or barley grains are roasted in the present invention, followed by powdering the roasted grains. The particular technique of the present  
25 invention makes it possible to solve the problem as to how to dispose of the hulls, though the hull was regarded in the past as agricultural waste material that is difficult to dispose of. In addition, the powder of the unhulled rice grains of the present invention has a high nutrient value, is excellent in digestive  
30 and absorptive properties, and provides foodstuff having a relatively lower calorie, compared with the powder of the unpolished rice grains.